

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Swedek et al.
Patent No. : 6,966,816
Issue Date : November 22, 2005
Serial No. : 09/847,867
Filed : May 2, 2001

Art Unit : 3723
Examiner : Alvin J. Grant
Conf. No. : 5820

Title : INTEGRATED ENDPOINT DETECTION SYSTEM WITH OPTICAL AND
EDDY CURRENT MONITORING

Attn.: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicant hereby requests that a certificate of correction be issued for the above patent in accordance with the attached request.

One or more of the errors sought to be corrected were made by applicant, and the fee for \$100 to cover the required fee of 37 CFR §1.20(a) is being paid concurrently herewith on the Electronic Filing System (EFS) by way of Deposit Account authorization. Please apply any other charges or credits to deposit account 06-1050.

The mistake was made in good faith and of a minor nature. In the Reply of September 22, 2003, the practitioner made the following amendment to claim 1:

circuitry in the platen to combine the first signal from the eddy current monitoring system
and second signals from the optical monitoring system into a third signal on an output line; and

The word "signals" was changed to "signal", was shown by an enlarged view:

signals

In the Amendment of January 20, 2004, Applicant made a typographic error in the listing of the claims by failing to remove the struck-through "s":

Applicant : Swedek et al.
Patent No. : 6,966,816
Issued : November 22, 2005
Serial No. : 09/847,867
Filed : May 2, 2001
Page : 2 of 2

Attorney's Docket No.: 05542-
0451001 / 005252USAY2/PPC/CMP

~~circuitry in the platen to combine the first signal from the eddy current monitoring system
and second signals from the optical monitoring system into a third signal on an output line; and~~

Because the strikethrough font was placed only on the letter “s”, the change was not noticed by the Patent Office.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: February 2, 2010_____

/David Goren/_____
David J. Goren
Reg. No. 34,609

Fish & Richardson P.C.
500 Arguello Street, Suite 500
Redwood City, California 94063
Telephone: (650) 839-5070
Facsimile: (877) 769-7945

Staple
Here
Only

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT No. .: 6,966,816
APPLICATION NO .: 09/847,867
DATED .: NOVEMBER 22, 2005
INVENTOR(S) .: BOGUSLAW A. SWEDEK

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 1, line 9, change “signals” to –signal--.

MAILING ADDRESS OF SENDER:

David J. Goren
Fish & Richardson P.C.
P.O. Box 1022
Minneapolis, Minnesota 55440-1022